

Maryland Envirothon: Class Aves

> KERRY WIXTED WILDLIFE AND HERITAGE SERVICE



Aves Overview

450 species in Maryland

•Extirpated species include:

• Bewick's Wren

• Greater Prairie Chicken • Red-cockaded Woodpecker



Note: This guide is an overview of select species found in Maryland. The taxonomy and descriptions are based off Peterson Field Guide to Birds of Eastern and Central North America, 6th Ed.

2

Order: Anseriformes

- Web-footed waterfowl
- Family Anatidae
 - Ducks, geese & swans



Order: Anseriformes; Family Anatidae

Cygnus-Swans



Mute Swan

(Cvanus olor)

ler: Anseriformes; Family Anatidae





Lundra Swan (Cygnus columbianus) Winter resident. Adult bill black, usually with small yellow basal spot; immature is dingy in color with pinkish bill; makes mellow-high pitched woo-ho, woo-woo noise Invasive. Adult black-knobbed orange bill tilts down; immature is dingy with pinkish bill; makes hissing sounds

(Cygnus buccinator) Winter resident. Adult all black bill with straight ridge; more nasal calls than tundra swan

4

Dabbling Ducks- feed by dabbling & upending



American Black Duck (Anas rubripes)

Year-round residen Duck Votex (und 100/1017) evident in flight; resembles a female mallard but has black borders on secondary wing feathers; can hybridize with mallards

Anseriformes; Family Anatidae



Mallard (Anas platyrhynchos) (ear-round resident. Adult males have green head w/ white neck ring & females are mottled in color ; resembles an American Black Duck mallard but has white borders on secondary wing feathers

5

Diving Ducks- feed by diving; legs close to tail



Canvasback (Aythya valisneria) Winter resident. Male is whitish with black chest & reddish brown head with sloping bill; male voice a cooing & female a raspy krrrr

ler: Anseriformes; Family Anatidae



Redhead (Aythya americana) Winter resident. Male is gray with black chest & reddish head; has grayish bill with black tip; male voice *meow* & female a soft *krrrr*

Mergansers- slender-bodied diving ducks w/ spikelike bill





Winter resident. Male has whitish body w/ green/black head & white chest; female & immature have reddish head, white chin & white chest Winter resident. Male has greenish head w/ crest, white band on neck & mottled chest; female & immature are gray w/ crest and have rusty head that blends into chest

7

Order: Galliformes

r: Anseriformes; Family Anatidae

- "Chicken-like" birds
- Includes many upland game birds
- Family Odontophoridae
- Northern BobwhiteFamily Phasianidae
- Grouse, turkeys & the like



Wild Turkeys (Meleagris gallopovo) by Kerry Wixted

Order: Galliformes

8

Gallinaceous Birds



Ruffed Grouse (Bonasa umbellus) Year-round resident in western MD. Rusty or gray in color with broad, black band near tip of tail; male display includes drumming that sounds like a distant motor; omnivore



Northern Bobwhite (Colinus virginianus) Year-round resident. Small and small; males have white eyebrow stripe and chin while females have buff marks; whistles bob-white; omnivore

Galliformes

Order: Ciconiiformes

- Large, long-legged wading birds with large bills
- Family Ardeidae
- Bitterns, herons & allies
 Family Cathartidae
- New world vultures



Cattle Egrets (*Bubulcus ibis*) are **adventive** (naturally expanded their range). They are medium-sized wading birds with buff orange crowns & beards during breeding season.

Order: Ciconiiformes

10

Herons- long-legged & long-necked wading birds



Great Blue Heron Little Blue Heron

Ciconliformes; Family Arde

Great Blue Heron (Ardea herodias) Year-round resident. Large, blue-gray bird w/ yellow dagger-like bill. Very common. Voice: deep croaks.

Little Blue Heron (Egretta caerulea) Summer resident on eastern shore. Small, slender heron with maroon-brown neck and blueish-gray back; grayish bill. Voice: loud, nasal scaaaahh

11

Egrets- typically whitish herons



Great Egret (Ardea alba) Summer resident w/ lower shore having year-round residents. Large, white heron w/ yellow bill & black legs and feet; found in marshes, ponds & shores

Order: Ciconliformes; Family Ardeidae



Snowy Egret (Egretta thula) Summer resident w/ lower shore having yearround residents. Medium-sized w/ black bill & legs and yellow feet; lores yellow; found in marshes, swamps & tidal flats

New World Vultures



Order: Ciconliformes; Family Cathartidae



Turkey Vulture (Cathartes aura) Year-round resident. Nearly 6 ft wingspan; adult has naked red head and two toned wings; primarily a scavenger Black Vulture (Coragyps atratus) Year-round resident. Less than 5 ft wingspan w/ whitish patch toward wingtips; grayish/ lightly feathered head

13

Order: Falconiformes

- Day-flying (diurnal) raptors with hooked bill and pointed claws
- Family Accipitridae
- Hawks, kites, eagles & alliesFamily Falconidae
 - Caracaras & falcons



Juvenile Osprey (Pandion haliaetus) by Kerry Wixted

Order: Falconiformes

14

Bald Eagle (Haliaeetus leucocephalus)

- National bird of US
- Adult: white head & white tail w/ yellow bill
- 1st yr: mostly dark w/ whitish wing linings
 2nd & 3rd yr: mottled w/ white on belly & back





Immature Bald Eagle by Tyler Ingram CC by NC ND 2.
Order: Falconiformes; Family Accipitridae

Accipiters- hawks w/ short, rounded wings



Order: Falconiformes; Family Accipitridae



Year-round resident. Slim hawk w/ square-tipped tail; adult w/ dark back & rusty-barred breast while immature has dark brown above; voice: kik, kik, kik

Year-round resident. Like Sharp-shinned hawk but larger; has rounded tail; voice: kek, kek, kek

16

Buteos- stocky hawks w/ broad wings





Red-tailed Hawk (Buteo jamaicensis) Year-round resident. Common along roadsides. Notable red tail from top-side; light breast w/ dark belly-band; voice a key-yah

r: Falconiformes; Family Accipitridae

17



Year-round resident. Adult has black and white bands on wings and tail w/ reddish shoulders, chest, & underparts; voice key-yer

Order: Charadriiformes

- Large group! Select families include:
 - Family Charadriidae
 - Plovers
 - Family Scolopacidae • Sandpipers, phalaropes & allies
 - Family Laridae
 - Gulls, terns & skimmers



The Black Skimmer (*Rhynchops niger*) is a state endangered breeding bird that has an uneven bill that allows it to skim water for fish and other food.

Order: Charadriiformes

American Woodcock (Scolopax minor)

- Year-round/ summer resident
- Woodland shorebird
- Long bill w/ large eyes
- Leaflike coloration Voice: nasally peent



19

Order: Cuculiformes

- Cuckoos, roadrunners & anis
- Family Cuculidae





Black-billed Cuckoo (*Coccyzus erythropthalmus*) has a black lower mandible & red orbital ring. This one is eating eastern tent caterpillers. By Bill Hubick, Maryland Biodiversity Project. culidae

20

Order: Strigiformes

- Mostly nocturnal birds of prey
- Large heads w/ flat faces & hooked bills
- Family Tytonidae
- Barn Owl
- Family Strigidae
- "Typical" owls



Order: Strigiformes

Medium-Large Owls







(Bubo virginianus) Year-round resident. Common. Large owl w/ ear tufts; white throat bib; voice: hoo hoo hooo

Order: Strigiformes; Family Strigidae

Barred Owl (Strix varia) Year-round resident. Common. Large owl w/o ear tufts; barred chest; voice: whoo cooked for you

(Bubo scandiacus) Irruptive. (Occasional winter visitor). Large, white owl with black flecks; yellow eyes



Eastern Screech Owl (Megascops asio)

- Year-round resident; small owl
- Common/ generalist w/ varied diet
- Red or gray morph
- Voice= Whinny or trill







Order: Strigiformes; Family Strigidae

23

Order: Caprimulgiformes

- Family Caprimulgidae
 - Nightjars
 - Nocturnal birds w/ large tails
 - Rest on limbs or ground
 - Camouflaged by pattern



Common Nighthawks (*Chordeiles minor*) are best identified in flight by their white wing bars or by call which is a nasally *peer* or *pee-ik*. Photo by Bill Hubick, Maryland Biodiversity Project.

Order: Piciformes

- Birds w/ chisel-like bills
- Have long tongues
- Zygodactyl feet (two toes in front & rear)
- Family Picidae
 Woodpeckers & allies




The Red-headed Woodpecker (*Melanerpes* erythrocephalus) is a year-round resident in Maryland.

Order: Piciformes; Family Picidae

25

Downy vs Hairy Woodpecker



Downy Woodpecker (Picoides pubescens) Year-round resident. Common. White back w/ small bill; outer tail feathers spotted; males have red patch on heads; voice: flat pick!

Hairy Woodpecker (Picoides villosus) Year-round resident. Common. White back w/ large bill and white outer tail feathers; male has red patch on head; voice: sharp peek!

26

Other Woodpeckers



Red-bellied Woodpecker (Melanerpes carolinus) Year-round resident. Adult stripebacked w/ red crown & neck on male and red neck on female

Piciformes; Family Picidae



Northern Flicker (Colaptes auratus) Year-round resident. Barred brown back w/ gray cap & black ring on chest; males have a black "mustache"



(Dryocopus pileatus) Year-round resident. Largest local woodpecker w/ flaming red crest; males have red "mustache"

Order: Passeriformes

- Very large group! Select families include:
 Family Mimidae
 Mimic thrushes
 Family Parulidae
 Wood warblers

 - Family Emberizidae
 Sparrows, Old World Buntings & allies Family Cardinalidae
 - Cardinals & allies
 - Family Icteridae
 Blackbirds



Order: Passeriformes

28

Mimidae







Brown Thrasher (Toxostoma rufum) Mosthy year-round resident. Chestnut brown above w/ heavily streaked breast; has curved bill & long tail. Voice: similar to Gray Catbird but in pairs. Gray Catbird (Dumetella carolinensis) Mostly year-round resident. Gray bird w/ black cap & rusty patch undertail. Voice: catlike mewing.

Northern Mockingbird (Mimus polyglottos) Year-round resident. Gray robin-sized bird w/ large white patches on wings and tail. Voice: Varied mimics often repeated a half a dozen times.

29

Warblers





Yellow Warbler (Dendroica petechia) Summer resident. Mostly yellow; male has rusty breast streaks; voice: tsee-tsee-tsee-tsee-titi-wee Prothonotary Warbler (Protonotaria citrea) Summer resident. Golden color; male breast & head= yellow w/ blue-gray wings; voice: zweet zweet zweet



Winter Sparrows



White-throated Sparrow (Zonotrichia albicollis) Winter resident. Adult has gray breast w/ white throat & yellow above lores. Bill gray.

ler: Passeriformes; Family Emberi

White-Crowned Sparrow (Zonotrichia leucophrys) Winter resident. Adult has clear, grayish breast w/ black & white striped crown. Dark-eyed Junco (Junco hyemalis) Winter resident. Dark gray bird w/ white belly & light bill. Common feeder bird.

0re 31

Cardinals & Allies



(Cardinalis cardinalis) Year-round resident. Male all red w/ crest & black patch around conical bill; voice: cheer-cheer-cheer Female



Blue Grosbeak (Passerina caerulea) Summer resident. Adult male blue w/ rusty wing bars; borice: warbling song w/ phrases rising & falling

ak Indigo Bunting uleo) (Passerina cyaneo) male blue w/ brown w/ arbling song falling

32

Migratory Bird Treaty Act of 1918

 International treaty w/ Canada, Japan, Mexico & Russia

 Protects all native species of birds, their nests, eggs, parts, etc

 Prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species

•Excludes non-native & invasive species • Example: European Starlings, House Sparrows, etc



Birds like herons were once exploited due to their feathers. The Act prohibits taking feathers from protected bird species.

For Additional Information

Book Resources:	Petersor
 Peterson Field Guide to Birds of Eastern and Central North America. 6th Ed 	Field Guide to Birds
	attended to be the second
Online Resources:	Will July
 Maryland Envirothon (Wildlife and Heritage Service) 	
 Birds of Maryland (MD DNR) 	
 Maryland Biodiversity Project (Birds) 	Y The
 The Cornell Lab of Ornithology: All About Birds 	C DE
	Constant of the second
	HOY MAN
	Roger Tory Peterson
DEPARTMENT OF NATURAL RESOURCES	Summerly in the
Larry Hogan, Governor Jeannie Haddaway-Riccio, Secretary Wildlife and Heritage Service * 580 Tavlor Ave. E-1* Annapolis. MD 2140	
410-260-8540	
dnr.maryland.gov/wildlife	

34